

μ μ -
: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
10.07.01	001	μ μ			
20.04.01	002	E μ - μ μ	02-04-00-00		
20.05.01	003	E μ - μ μ μ μ	02-04-00-00		
20.41	004	μ μ			
\20.30	005	μ μ μ			
\20.05	006	E μ μ μ			
\20.42	007	μ μ			
22.10.02	008	μ μ μ , μ μ , μ μ , μ μ	15-02-01-01		
22.15.01	009	μ μ μ μ , μ μ μ	15-02-01-01		
22.50	010				
\22.04	011	μ	14-02-02-01		
\22.20.01	012				
\22.21.01	013				
\22.23	014	μ	14-02-01-01		
\22.45	015	μ			
\22.53	016				
\22.70.02	017	μ μ μ μ			

	μ.		1501-+	(17/07-09-2016)	
μ					
\22.10.01	018	μ μ μ μ μ μ μ			
\22.15.01.1	019	μ μ μ μ μ μ μ			
\22.20.01	020	, μ μ			
\ 1	021	μ μ μ μ μ μ μ			
\32.01.04	022	μ μ μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
32.01.05	023	μ μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
01-01-07-00					
38.20.02	024	μ μ μ B500C.	01-02-01-00 *	μ μ	01-02-01-00
38.45	025	μ μ			
38.10	026	μ μ	01-05-00-00		
38.03	027		01-04-00-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
32.01.06	028	μ μ μ μ μ C25/30	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.03	029	μ μ μ μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
79.15.02	030	μ μ μ 155 gr/m2			
79.21	031	μ μ μ (μ μ μ) 934-2			
\38.20.1	032	12 16 μ μ			
35.02	033	μ μ μ			
23.01	034	μ	01-03-00-00 *	μ	01-03-00-00
\79.55	035	μ - μ μ μ 50 mm	03-06-02-02 *	μ μ	03-06-02-02
20.20	036	μ μ			
31.02.02	037	μ μ 250 kg μ m3	01-01-01-00 *	μ	01-01-01-00
73.37.01	038	μ - - μ μ μ μ 2,0 cm			
\5621.2	039	μ laminate			
53.43	040	μ	03-07-01-02		
\73.98	041	μ μ	03-07-06-01		
\73.33.01	042	μ μ μ μ , GROUP 4, 20x20 cm	03-07-02-00		
\75.01.04	043	μ μ μ (μ) μ μ μ 11 - 30 cm , 3 cm	03-07-03-00 *	μ	03-07-03-00

*

	μ.		1501- +	(17/07-09-2016)	
μ					
\53.50.03	044	5 8 cm, 12 mm,			
\46.01.02	045	6x9x19 cm, μ μ 1/2 (μ μ)	03-02-02-00 *	μ	03-02-02-00
\49.01.01	046	μ () μ μ			
\52.81.02	047	OSB (Oriented Strand Boards) μ 18 mm			
\6230.1	048	mm. μ μ μ 1,0			
\54.46.01	049	13 cm μ μ ,	03-08-01-00		
\6543.3	050	μ			
\61.01	051	μ μ μ , μ 8 - 16 cm			
\61.30	052				
\61.31	053	μ			
\65.17.01	054	μ μ μ μ , μ , μ	03-08-03-00 *	μ μ	03-08-03-00
\71.21	055	μ - μ μ μ	03-03-01-00		
\73.33.03	056	40x40 cm μ μ , GROUP 4,	03-07-02-00		
\73.34.01	057	20x20 cm μ μ GROUP 1,	03-07-02-00		
\73.36.01	058	, 3,0 cm μ μ μ			
\76.27.01	059	μ μ - μ - 8 mm, 5 mm) 18 mm, (5 mm,	03-08-07-02		
23.03	060	μ	01-03-00-00 *	μ	01-03-00-00
\77.55	061	μ μ μ μ	03-10-03-00		
\77.67.02	062	μ μ , μ 1 1/4 2"	03-10-03-00		
\77.67.04	063	μ μ , μ 3 4"	03-10-03-00		
\77.80.01	064	μ μ , μ μ μ μ μ	03-10-02-00		

	μ.		1501-+	(17/07-09-2016)	
μ					
\77.80.02	065	μ μ μ μ μ μ , , μ μ , - μ , μ μ	03-10-02-00		
\77.84.02	066	μ μ μ μ μ μ , μ μ	03-10-02-00		
\77.74.1	067	μ μ μ μ (μ D.L.)			
\78.05.01	068	, , 12,5 mm			
\78.30.01	069	μ μ μ μ , μ , mm 625x625 mm 15 20 mm, 600x600	03-07-10-01		
\78.34	070		03-07-10-01		
\79.46	071	μ μ μ spray μ μ μ μ (2K), μ d=5cm μ =±55kg/m³ μ =0,028 BAYMER205, μ	03-06-02-01 *	μ μ μ	03-06-02-01
\72.31.03.01	072	μ 5mm.			
64.01.01	073	μ μ μ , μ μ			
\61.06	074	(μ -) μ μ μ μ			
\61.27	075	μ μ μ μ 10,0mm			
\62.50	076	μ μ μ μ 50mm 1,0mm			
8041.5.1	077	μ μ μ μ μ 0,75 mm 15 mm			
8042.1.7	078	4 atm μ 100 mm P.V.C.			
\8042.1.2	079	6atm μ 40 mm P.V.C. mm			

	μ.		1501- +	(17/07-09-2016)	
μ					
\8042.1.3	080	6atm μ 50 mm P.V.C. mm			
\8046.1	081	μ 100 μ			
\8066.1.4	082	30X40 cm 50 cm			
8101.1	083	() μ 1/2 ins			
8141.2.2	084	μ (μ) μ - μ , μ μ μ μ μ 1/2 ins			
\8160.1	085				
\8168.2	086	4 mm μ 42 60 cm			
8178.2.1	087	15 15 cm			
8181.2	088	35 cm			
\8733.2.3	089	heliflex, μ μμ 16 mm.			
\8735.2.1	090	μ 70 mm			
\8751.1.2	091	μ : 1,5 mm2			
8801.1.1	092	10 μ μ 10 250 V			
\8801.1.2	093	μ μ 10 250 V			
8826.3.2	094	μ SCHUKO 16			
9336.1.1	095	μ 3 1,5mm2			
\11.01.02	096	K μμ μ (ductile iron)			
8179.2	097	μ μ μμ μ			
8646	098	μ			
8821.10.2	099	μ PLC			
8625.9	100	μ μ μ			
8841.1.6	101	0,80 2,20 m μ μ 0,80			
8120.1	102	6"			
8036	103	μ μ μ			

	μ.		1501-+	(17/07-09-2016)	
μ					
8808.2.11	104	6" μ			
8542.17.1	105	μ			
8231.2.7	106				
8456.1.3	107	μ μ			
8774	108	μ μ			
8539.1.7	109	μ			
8555.16	110				
8557.1.5	111	μ μ ()			
8552.1.22	112				
μ					
1504		3/4 . .			
2123		μ μ 2121			

/1/2017

/1/2017

/1/2017

μ μ μ

&

/

/

/

/